

Residential ESS Lithium-ion Battery

CFE-5100/CFE-5100S/CFE-2400

WiFi Configuration Guidance



Published: 0511, 2023 Version 1.3

WiFi Configuration Guidance

CFE-5100/CFE-5100S/CFE-2400 have a built-in WiFi module to work with Smart BESS App

Please read this manual carefully before doing WiFi Configuration



Smart BESS is designed for users to monitor the battery status like SOC, voltage and warning information.

1. Download the APP



iPhone: Scan the code or search *Smart BESS* in App Store.



Android: Scan the code or search Smart BESS in Google Play.

2. Instructions for Smart BESS APP

2.1 Registration

• Open the *Smart BESS* APP, Click *Register Account* and create your account here.



2.2 WiFi Configure

2.2.1 iPhone instruction

- Connect to WiFi of the house before WiFi configuration;
- Select WiFi Config,



SSID is the WiFi name of the house, which is obtained automatically;

🔇 Wi-Fi Configure		
SSID:	CFE	
Password:	Please enter the WiFi passw	
	Next	

- Input the password of the WiFi;
- Click Next;
- Press the Reset on the battery for around 3 seconds until the Run light goes fast flash



- Back to iPhone WiFi setting page
- Connect to Battery WiFi named 'hiflying_softap';

Wi-Fi)
hiflying_softap	*	3
MY NETWORKS		
CFGL	Ŷ	1
NETWORKS		
CFERESL	Ŧ	1
DIRECT-e8-HP M130 Las	÷	D
Other		

Back to Smart BESS, the APP will automatically configure WiFi for the battery;



Scan the QR code to watch iPhone WiFi configuration video instruction.



2.2.2 Android instruction

- Connect to WiFi of the house before WiFi configuration;
- Select WiFi Config,



SSID is the WiFi name of the house, which is obtained automatically;

👌 🛛 Wifi Co	onfiguration
SSID	CPE-TEST
Password	123456789
AP SSID	hiflying_softap
	Start
Notice: Please turn on WLA	N before configuring Will

- Input the password of the WiFi;
- Click Start, and select GO TO SETUP,
- Press the Reset on the battery for around 3 seconds until the Run light goes fast flash;



- Back to mobile phone WiFi setting page;
- Connect to Battery WiFi named 'hiflying_softap';

~	θ
WLAN	
WLAN assistant	
hiflying_softap Connected, no internet	۲
CFE-TEST Saved	+ (5)

Back to Smart BESS, the APP will automatically configure WiFi for the battery;



Scan the QR code to watch WiFi configuration video instruction.



3. Add Battery

- Connect back to your home WiFi
- Go Add Battery and scan the bar code of the battery;
- You can customize the battery name, and the PCS should input the Number of SW3 on the battery;
- Click Confirm to add the battery to My battery



4. My battery list

- After the battery added to the list, you will be allowed to check the BMS information of the battery.
- Tap the battery serial Number with dark blue background, the System overview will show.

System over	view
Voltage(V):	52.81
Current(A):	0
Temperature("C):	18
Charge(KWh):	0.82
Discharge(KWh):	525.59
SOC:	54
Battery li	st
Type: 5100 ID:141633	DSLHOPG008282
	Detail >

5. Fault Warning

Clicking on the Warning & Services, you can see the battery warning information.



6. Online Upgrade

Once you got the WiFi configured individually for all the CFE batteries you have, you can contact CFE Technical support Group for upgrading the battery firmware version for the latest firmware

7. Notes

- 7.1 The WiFi must be strong and stable for at least 30mins when doing online upgrade;
- 7.2 The length of WiFi name and password for WiFi Config should be less than 16 digits;
- 7.3 Each battery must be configured WiFi Separately when doing online upgrade;

7.4 It is recommend having the communication cables and power cables between batteries disconnected before the online upgrade;

7.5 The online upgrade will normally take 20 mins;

7.6 After the online upgrade the BMS will turn off automatically, the batteries need to be restarted manually;

7.7 The WiFi frequency should be 2.4G;

7.8 If after pressing the reset for more than 3 seconds and the run light doesn't fast flash, please turn the battery off for more than 30 seconds, than try again.



First-class power battery system supplier

First-class supplier of energy storage and microgrid

CF Energy Co., Ltd.

Company Address: Intelligent Manufacturing Base , Xianyang , Shaanxi , PRC . Tel: (+86) 029-38367888 Web: www.cfenergygroup.com E-mail:sales@cfenergygroup.com

For updates on this file please check the CFE Service website

https://www.cfenergygroup.com/Service.html